

## **GT TURBO FULL BODY HARNESS**

Ref. 2780

ROPE ACCESS, TEAM RESCUE

The GT Turbo combines the comfort and support of our innovative GT Sit + Chest harnesses with the most streamlined integration of our popular Turbo Chest ascender. The ergonomics of the harness follow the findings of our "SOSPESI" research program which gave us new insights on suspension trauma. Combined with the Turbo Chest ascender that features rollers to improve upward efficiency and reduce wearand-tear, the GTTurbo is the most technically advanced rope access harness ever conceived.

Turb ochest ascender is easily detachable and replaceable. STS automatic buckles on the leg loops.

5 aluminum alloy attachment points: 1 ventral for suspension, 2 side for positioning and restraint, 1 sternal and 1 dorsal for fall arrest. Webbing loop for restraint on the back.

Equipped with NFC TRACK tag for digital identification. 2 sizes.





Ref.	Product name	Size	Weight		Waist cm B		Legs cm		Height cm		C€					Attachment points
			g	oz	В (с	cm)	C (	cm)	D (cm)	EN 358	EN 361	EN 813	EN 12841/B	EN 12277	ERE	
2780	GT TURBO	S-L	2040	72.0	80-120		50	-65	55-75	•					•	<b>(</b>
		L-XXL	2150	75.9	90-	140	60	-75	65-85	·	·	ľ	•	•	•	



## **GT TURBO**

**FULL BODY HARNESS** 

Ref. 2780

ROPE ACCESS, TEAM RESCUE

- Oombined with the proprietary Turbo Chest ascender that features patented rollers to improve upward efficiency and reduce wear-and-tear.
- Turbochest ascender is easily detachable and replaceable.
- Patented STS automatic buckles on the leg loops.
- 4 1 ventral for suspension
- 5 2 side for positioning and restraint;
- 6 1 sternal for fall arrest;
- 1 dorsal for fall arrest.
- **1** back attachment point for work positioning.
- Easy-to-adjust buckles made from carbon steel.
- Triple-layer belt padding: comfortable 3D mesh inside.
- ① Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.
- ② Additional rigid foam on back load areas.
- Adjustable back webbing for best comfort.
- Polyester belt webbing, 44 mm wide.
- **©** Polyester leg-loops webbings, 33 mm wide.
- 6 Webbing system for fastening "HUB" ref.0910 gearcarabiner (supplied separately).
- Two large side gear loops, 10kg Max.
- ® Equipped with NFC TRACK tag for digital identification.





## NFC Track | G.T.S.

C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.



**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.





## -G.T.S.- GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the technical information of all **C.A.M.P.** products for work at height and a large number of other products posted by other users of the community with publicly available information.



